

# 車種適合表 NISSAN

【日産】

車種	排気量	型式	適合情報	年式	FRONT					REAR							
					PATS No	G	SH	R	CP	RV	PATS No	G	SH	R	CP	M	RV
モコ	660	MG21S	ABS無	02.04	610	●											
	660	MG21S	ABS有	02.04	610	●											
マーチ	1000	K10,YK10	含ターボ	82.10	92.01	120	●		●								
	1000	K11	ABS無	92.01	99.11	120	●		●								
	1000	K11	ABS有	92.04	97.05	120	●		●								
	1000	K11		99.11		614	●										
	1000	WK11		99.11		614	●										
	1300	HK11	ABS有のリアドラム車除	92.01	99.10	120	●		●								
	1300	AK11		99.11		614	●										
	1300	ANK11		99.11		614	●										
	1300	WAK11		99.11		614	●										
キューブ	1300	ANZ10		99.11		614	●										
サニー	1300	B15		98.10		614	●										
	1500	FB15,FNB15		98.10		614	●										
	1600	JB15		98.10		286	●		●		346	●		●			
	1800	QB15		98.10		614	●										
サニー ディーゼル	2200	SB15		99.09		614	●										
ウイングロード	1500	WFY11		99.05		614	●										
	1800	WHY11,WHNY11	LE除	99.05		614	●										
	2000	WPY11		99.05		286	●		●		346	●		●			
	2000	WRY11		01.10		614	●										
ADバン	1300	VY11		99.06		614	●										
	1500	VEY11		99.06		614	●										
	1800	VHNY11		99.06		614	●										
	2200	VENY11,VEY11		99.06		614	●										
パルサー/ルキノ	1600	JN15	VZ-R	97.09		350	●		●		346	●		●			
	1800	HN14		90.08		277	●		●								
	1800	HNN15		96.05		350	●				346	●		●			
	2000	RNN14		90.08		350	●		●		346	●		●			
NX クーベ	1800	HB13		90.01	94.05	277	●										
ラシーン	1800	RHNB14		97.01		350	●		●		346	●		●			
ラシーンフォルザ	2000	RKNB14		98.04		350	●		●		346	●		●			
プレセア	2000	HR10		90.06		277	●										
ティーン	1800	V10		98.12		286	●		●		346	●		●			
	2000	HV10		98.12		286	●		●		346	●		●			
エキスパート	1800	VW11,VNW11		99.06		614	●										
	2200	VEW11,VENW11		99.06		614	●										
プリメーラ	1800	P10	ABS有	90.02	95.09	262	●		●		106	●		●			
	1800	P10	ABS無,リアドラム	90.02	95.09	252	●		●								
	1800	P11	ABS有	95.09		262	●		●		346	●		●			
	1800	P11	ABS無	95.09		262	●		●								
	2000	HP10,FHP10		90.02	95.09	262	●		●		106	●		●			
	2000	HP11		95.09		262	●		●		346	●		●			
	2000	HNP10		90.10	95.09	262	●		●		346	●		●			
	2000	HNP11		95.09	98.09	262	●		●		346	●		●			
	2000	HNP11		98.09		286	●		●		346	●		●			
プリメーラワゴン	1800	WP10,WP11		97.09		262	●		●		346	●		●			
	2000	WHP11,WHNP11		97.09		286	●		●		346	●		●			
アベニール/アベニールサリュウ	1600	VEW10	ABS無	90.05	95.08	252	●		●								
	1600	VEW10	ABS有	93.01	95.08	352	●		●		346	●		●			
	1600	VEW10	ABS有	95.08	98.07	252	●		●								
	1600	VENW10		90.10	98.07	252	●		●								
	1800	W10	ABS無	90.05	95.08	252	●		●								
	1800	W10	ABS有	93.01	95.08	352	●		●		346	●		●			
	1800	W10	ABS有	95.08	98.07	262	●		●								
	1800	W11		98.08		286	●		●								
	2000	PW10		90.05	95.08	352	●		●		346	●		●			
	2000	PW10		95.08		262	●		●		346	●		●			
	2000	PNW10		90.10	95.08	352	●		●								
	2000	PNW10	ターボ無	95.08		262	●		●		346	●		●			
	2000	PNW10	ターボ有	95.08		382	●		●		346	●		●			
	2000	SW10		93.01	95.08	352	●		●		346	●		●			
	2000	SW10		95.08		262	●		●		346	●		●			
	2000	VSW10	ABS無	90.05	95.08	252	●		●								
	2000	VSW10	ABS有	93.01	95.08	352	●		●		346	●		●			
	2000	VSW10	ABS有	95.08		252	●		●								
	2000	PNW11	ガソリンターボ	98.08		372	●		●		346	●		●			
	2000	PNW11,PW11	ターボ無	98.08		286	●		●		346	●		●			
	2000	SW11	ディーゼルトターボ	98.08		286	●		●								
ブルーバード	1600	U13	ABS有	91.09		262	●		●		346	●		●			
	1600	U13	ABS無	91.09		252	●		●								
	1800	EU13	ABS有	91.09		262	●		●		346	●		●			
	1800	EU13	ABS無	91.09		252	●		●								
	1800	EU13	スーパーターボリング	92.08		262	●		●		346	●		●			
	1800	ENU13	ABS有	91.09		262	●		●		346	●		●			
	1800	ENU13	ABS無	91.09		262	●		●								
	1800	EU14		96.01		262	●		●								
	1800	ENU14		96.01		262	●		●		346	●		●			
	2000	HAU12		90.02		262	●		●		106	●		●			
	2000	HU13		91.09		262	●		●								
	2000	HNU13	ターボ無	91.09		262	●		●								
	2000	HU14,HNU14	リアドラム	96.01		262	●		●								
	2000	SU13	ABS有	91.09		262	●		●								
	2000	SU13	ABS無	91.09		252	●		●								
	2000	SNU13		91.09		262	●		●								
	2000	SU14		96.01		262	●		●								
	2400	PU13		93.08		262	●		●		346	●		●			
ブルーバードシルフィー	1500	FG10		00.08		614	●										
	1800	QG10,QNG10		00.08		614	●										
	2000	TG10		00.08		614	●										
シルビア	1800	S13,KRS13		88.05	91.01	272	●		●		106	●		●			
	2000	S12,US12	ターボ有	93.08	96.02	106	●		●		106	●		●			
	2000	PS13,KPS13	ターボ無	91.01	93.10	272	●		●		106	●		●			
	2000	PS13,KPS13	ターボ有	91.01	93.10	286	●		●		106	●		●			
	2000																

【日産】

車種	排気量	型式	適合情報	年式	FRONT					REAR					
					PATS No	Axis Type	Axis Type	Axis Type	Axis Type	Axis Type	PATS No	Axis Type	Axis Type	Axis Type	Axis Type
					G	SH	R	CP	RV	G	SH	R	CP	M	RV
スカイライン	1800	FR32		89.05	93.08	277	●	●							
	2000	GC10		69.00		25	●								
	2000	GC110,KGC110		76.00		25	●								
	2000	DR30	ターボ有	83.08	85.08							106	●	●	●
	2000	HR31,YHR31	ターボ有	85.08	89.05							349	●	●	
	2000	HR32,YHR32,HCR32		89.05	93.08	262	●	●				349	●	●	
	2000	HCR32	除Type-M	89.05	93.08	286	●	●				349	●	●	
	2000	HCR32	Type-M	89.05	93.08	301	●	●	●			302	●	●	●
スカイライン	2000	HNR32		89.08	93.08	301	●	●	●			302	●	●	●
	2000	HR33		93.08		262	●	●				349	●	●	
	2500	ECR32		91.08	93.08	286	●	●				349	●	●	
	2500	ER33,ECR33,ENR33	ターボ無	93.08		382	●	●				349	●	●	
	2500	ECR33	ターボ有	93.08		301	●	●	●			302	●	●	●
	2500	ER34,ENR34	ターボ無	98.05		382	●	●				349	●	●	
	2500	ENR34	ターボ有	98.05		301	●	●	●			302	●	●	●
	2500	ER34	ターボ有	98.05		301	●	●	●			302	●	●	●
	2600	BNR32		89.08		301	●	●	●			302	●	●	●
	2600	BNR32	V-Spec	93.02		481	●	●	●			482	●	●	●
	2600	BCNR33		95.01		481	●	●				482	●	●	●
	2600	BNR34		99.01		481	●	●	●			482	●	●	●
ローレル	1800	KPC130		72.00		25	●								
	1800	C130		74.00		25	●								
	1800	SC130,KSC130		75.00		25	●								
	2000	HJC32,HC32	4輪ディスク	84.10	88.12							349	●	●	
	2000	HC33,KHC32	ABS有	88.12	93.01	262	●	●				349	●	●	
	2000	HC33,KHC32	ABS無	88.12	93.01	277	●	●				349	●	●	
	2000	HC33,HCC33,KRC33,KRCC33	ターボ無	88.12	93.01	262	●	●				349	●	●	
	2000	HC33,HCC33,KRC33,KRCC33	ターボ有	88.12	93.01	286	●	●				349	●	●	
	2000	HC35		97.06		286	●	●				349	●	●	
	2500	EC33,ECC33		91.09	93.01	286	●	●				349	●	●	
	2500	GC34,GCC34	ターボ無	93.01		286	●	●				349	●	●	
	2500	GC34,GCC34	ターボ有	94.01		382	●	●				349	●	●	
	2500	GNC34		94.10		382	●	●				349	●	●	
	2500	GC35	ターボ無	97.06		286	●	●				349	●	●	
	2500	GC35	ターボ有	97.06	98.08	382	●	●				349	●	●	
	2500	GC35	ターボ有	98.09		605	●	●				349	●	●	
	2500	GCC35		97.06	98.08	382	●	●				349	●	●	
	2500	GCC35		98.09		605	●	●				349	●	●	
	2500	GNC35		97.06		382	●	●				349	●	●	
	2800	SC33	ABS有	88.12	93.01	262	●	●				349	●	●	
	2800	SC33	ABS無	88.12	93.01	277	●	●				349	●	●	
	2800	SC34		93.01								349	●	●	
	2800	SC35		97.06		286	●	●				349	●	●	
セフィーロ/セフィーロワゴン	2000	HA31,CA31,LA31	4WAS有	88.09	94.08	262	●	●				349	●	●	
	2000	HA31,CA31,LA31	4WAS無	88.09	94.08	277	●	●				349	●	●	
	2000	RA31,AC31,LCA31	ターボ無	88.09	94.08	262	●	●				349	●	●	
	2000	RA31,AC31,LCA31	ターボ有	88.09	94.08	286	●	●				349	●	●	
	2000	RNA31,LNA31		91.08	94.08	286	●	●				349	●	●	
	2000	A32		94.08	98.12	286	●	●				346	●	●	
	2000	WA32		97.06		286	●	●				346	●	●	
	2000	A33		98.12	94.08	286	●	●				346	●	●	
	2500	EA31,ECA31		92.05	94.08	286	●	●				349	●	●	
	2500	PA32		94.08	98.12	286	●	●				346	●	●	
	2500	WPA32		97.06		286	●	●				346	●	●	
	2500	PA33		98.12		286	●	●				346	●	●	
	3000	HA32		94.08		286	●	●				346	●	●	
	3000	WHA32		97.06		286	●	●				346	●	●	
ステージア	2000	WHC34		96.10		286	●	●				346	●	●	
	2500	WGC34		96.10		286	●	●				346	●	●	
	2500	WGC34	ターボ有	98.08		605	●	●				373	●	●	
	2500	WGC34	NA2.5リットル			605	●	●				373	●	●	
	2500	WGNC34	ターボ有	96.10	98.08	372	●	●				349	●	●	
	2500	WGNC34		98.08		605	●	●				373	●	●	
	2500	WGNC34	ターボ無	96.10		382	●	●				349	●	●	
	2600	WGNC34	オーテックバージョン 260RS			481	●	●	●			482	●	●	●
プレサージュ	2400	U30,UU30		98.06		450	●	●							
	2500	VU30,VUU30		98.06		450	●	●							
	3000	HU30		98.06		450	●	●							
ルネッサ	2000	N30		97.10		372	●	●							
	2000	NN30		97.10		450	●	●							
	2400	PNN30		97.10		450	●	●							
プレーリー	2000	M11		88.09	98.11	262	●	●	●						
	2000	NM11	ABS有	88.09	98.11	262	●	●	●			106	●	●	●
	2000	NM11	ABS無 除J8	88.09	98.11	262	●	●	●						
	2400	HM11		90.99	98.11	262	●	●	●						
プレーリーリパティ	2000	PM12,PNM12		98.11		372	●	●							
レパード	2000	GF31		86.02	92.06							349	●	●	
	2000	JY33		97.10		372	●	●				349	●	●	
	2500	JENY33	4WD	97.10		372	●	●				349	●	●	
	2500	JMY33	V6	97.10		372	●	●				373	●	●	
	3000	UF31		86.02	92.06							349	●	●	
	3000	JPY33		96.03		372	●	●				349	●	●	
	3000	JHY33	XR グランスポーツ	96.03		372	●	●				349	●	●	
	3000	JHY33	XV,XV-G	96.03	97.10	372	●	●				373	●	●	
	3000	JHY33	XV,XV-G	97.10		372	●	●				349	●	●	
	3000	JHBY33	XV,XV,G,グランスポーツ	96.03		372	●	●				373	●	●	
Jフェリー	3000	JRY32		92.06		372	●	●				373	●	●	
	4100	JGBY32		92.06		372	●	●				373	●	●	
マキシマ	3000	PJ30		91.08	94.08	286	●	●				346	●	●	
フェアレディ Z	2000	S30,PS30,S31		70.00		25	●								
	2000	Z31,GZ31		83.09	86.10							106	●	●	●
	2000	PZ31,PGZ31		85.10	88.12							106	●	●	●
	2000	HZ31,GZ31		83.09	86.10							106	●	●	●
	3000	HZ31,HGZ31,Z32,GZ32,HZ32,CZ32		89.07	93.07	301	●	●	●			302	●	●	●
	3000	GZ32,GCZ32		93.07		301	●	●	●			302	●	●	●
	3500	Z33	ブレンボ装着車	02.08		481T	●	●	●			482	●	●	●

【日産】

車種	排気量	型式	適合情報	年式	FRONT					REAR							
					PATS No	G	SH	R	CP	RV	PATS No	G	SH	R	CP	M	RV
セドリック	2000	H230		71.00	25	●											
セドリック/グロリア	2000	Y30		85.06 87.06													
	2500	MY33.ENY33		97.06	372	●	●										
	2500	MY34	NEO Di	99.06	372	●	●										
	2500	ENY34	RB25DET 4WD	99.06	605	●	●										
	2800	UY31.CUY31	ABS無	87.06	127												
	2800	UY31.CUY31	ABS有	87.06	439												
	2800	UY32		91.06	439												
	2800	UY33		95.06	372	●	●										
	3000	PY32	VG30DTエンジン	91.06	372	●	●										
	3000	PY32	VG30Eエンジン	91.06													
	3000	PY32	VG30Dエンジン	91.06													
	3000	PY32	除フロアム	93.06	372	●	●										
	3000	PAY32.PBY32		91.06	372	●	●										
	3000	PY33		95.06	372	●	●										
	3000	HBV33		95.06	372	●	●										
	3000	HY33	ターボ無	95.06	372	●	●										
	3000	HY33	ターボ有	95.06	372	●	●										
	3000	HY34	2WD VQ30DD	99.06	372	●	●										
	3000	HY34	2WD VQ30DET	99.06	605	●	●										
シーマ	3000	FPY32.FHY33		93.09 97.09	372	●	●										
シーマ	3000	FHY33		97.09	450	●	●										
	3000	FHY33	トラクションコントロール付	97.09	372	●	●										
	3000	HF50		01.01	605	●	●										
	4100	FGY32.FGDY32.FGNY32		91.08 96.06	372	●	●										
	4100	FGY33.FGDY33.FGNY33		96.06	450	●	●										
	4500	GF50		01.01	605	●	●										
	4500	GNF50		01.01	605	●	●										
バネットセレナ	1600	VAJC23		91.06	252	●	●										
	1600	KAJC23	FG,FE	91.06	252	●	●										
	2000	VVJC23.KVJC23		91.06	252	●	●										
	2000	PC24.PNC24		99.06	450												
	2500	VC24.VNC24		99.06	450												
バサラ	2400	JU30.JNU30		99.11	450												
	2500	JVU30.JVNU30		99.11	450												
	3000	JHU30		99.11	450												
テラノ	2700	PR50		95.09	450												
	3000	TR50		99.02	450												
	3200	RR50		96.08	450												
	3300	LR50		95.09	450												
	3300	LUR50		99.02	450												
テラノレグラス	3200	JRR50		96.08	450												
	3300	JLR50		96.08	450												
エルグランド	3200	AVE50.AVWE50		97.05	450												
	3300	ALE50.ALWE50		97.05	450												